L Number	Hits	Search Text	DB	Time stamp
1	2	(wood wooden cellulosic fiber$1board chip$1board partcile$1board hard$1board flake$1board strand$1board wafer$1board) and (pre$1paint with seal$3)	USPAT; EPO; JPO; DERWENT	2003/07/15 10:42
2	0	(wood wooden cellulosic fiber$1board chip$1board partcile$1board hard$1board flake$1board strand$1board wafer$1board) and (pre$1paint with seal$3)	USOCR	2003/07/15 09:44
3	0	(wood wooden cellulosic fiberboard fiber-board "fiber board" chipboard chip-board "chip board" particleboard particle-board "particle board" hardboard hard-board "hard board" flakeboard flake-board "flake board" strandboard strand-board "strand board" waferboard wafer-board "wafer board") and ((prepaint pre-paint "pre paint") with (seal sealed sealer sealant sealing))	USOCR	2003/07/15 09:46
4	70	(wood wooden cellulosic fiberboard fiber-board "fiber board" chipboard chip-board "chip board" particleboard particle-board "particle board" hardboard hard-board "hard board" flakeboard flake-board "flake board" strandboard strand-board "strand board" waferboard wafer-board "wafer board") and ("press coat" "press coated" "press coating")	USOCR	2003/07/15 10:02
5	1	("5059264").PN.	USPAT	2003/07/15 10:20
6	16	5059264.URPN.	USPAT	2003/07/15 10:03
8	3	("3983307" | "4017434" | "4505986").PN.	USPAT	2003/07/15 10:03
9	16	5059264.URPN.	USPAT	2003/07/15 10:04
10	1	("5741823").PN.	USPAT	2003/07/15 10:41
11	31	("3098785" | "3607341" | "3790421" | "3804700" | "3901240" | "3919451" | "3933691" | "3957940" | "3961118" | "4061822" | "4238438" | "4265965" | "4289823" | "4325856" | "4376142" | "4384096" | "4385152" | "4403003" | "4510268" | "4517228" | "4654397" | "4692473" | "4734231" | "4814373" | "4966170" | "5059264" | "5063646" | "5085891" | "5109030" | "5360826" | "5436069").PN.	USPAT	2003/07/15 10:20
12	0	SHEETS-Harold[in]	USPAT; EPO; JPO; DERWENT	2003/07/15 10:42
13	1	SHEETS-Harold-J[in]	USPAT; EPO; JPO; DERWENT	2003/07/15 10:42
14	42	(wood wooden cellulosic fiber$1board chip$1board partcile$1board hard$1board flake$1board strand$1board wafer$1board) and GLIDDEN[as]	USPAT; EPO; JPO; DERWENT	2003/07/15 10:43
15	13	(wood wooden cellulosic fiber$1board chip$1board partcile$1board hard$1board flake$1board strand$1board wafer$1board) and GLIDDEN[as] and seal$4	USPAT; EPO; JPO; DERWENT	2003/07/15 10:43
16	5	(wood wooden cellulosic fiber$1board chip$1board partcile$1board hard$1board flake$1board strand$1board wafer$1board) and GLIDDEN[as] and seal$4 and (primer primed multi$1layer)	USPAT; EPO; JPO; DERWENT	2003/07/15 10:47
17	3	((wood wooden cellulosic fiber$1board chip$1board partcile$1board hard$1board flake$1board strand$1board wafer$1board) and GLIDDEN[as] and seal$4 and (primer primed multi$1layer)) not 5059264[pn]	USPAT; EPO; JPO; DERWENT	2003/07/15 10:45
18	1	5059264[pn]	USPAT	2003/07/15 10:45
19	3	("3983307" | "4017434" | "4505986").PN.	USPAT	2003/07/15 10:45
20	16	5059264.URPN.	USPAT	2003/07/15 10:45

WPF 07/15/03

21	35	(wood wooden cellulosic fiber$1board chip$1board partcile$1board hard$1board flake$1board strand$1board wafer$1board) and HSU[in] and (primer primed multi$1layer)	USPAT; EPO; JPO; DERWENT	2003/07/15 11:01
22	283	(wood wooden cellulosic fiber$1board chip$1board partcile$1board hard$1board flake$1board strand$1board wafer$1board) and (multi$1layer same (ultra$1violet "UV"))	USPAT; EPO; JPO; DERWENT	2003/07/15 11:02
23	135	(wood wooden cellulosic fiber$1board chip$1board partcile$1board hard$1board flake$1board strand$1board wafer$1board) and (multi$1layer same (ultra$1violet "UV")) and (primed primer sealed sealing sealant)	USPAT; EPO; JPO; DERWENT	2003/07/15 11:03
24	172	(wood wooden cellulosic fiber$1board chip$1board partcile$1board hard$1board flake$1board strand$1board wafer$1board) and (multi$1layer same ((ultra$1violet "UV") with cure cured curing)) and (primed primer sealed sealing sealant)	USPAT; EPO; JPO; DERWENT	2003/07/15 11:03
25	112	(wood wooden cellulosic fiber$1board chip$1board partcile$1board hard$1board flake$1board strand$1board wafer$1board) and (multi$1layer same ((ultra$1violet "UV") with cure cured curing)) and (sealed sealing sealant)	USPAT; EPO; JPO; DERWENT	2003/07/15 11:13
26	6	(("4072770") or ("4082882") or ("5212271") or ("5453451") or ("5584496") or ("5740941")).PN.	USPAT	2003/07/15 11:11
27	1	("5453451").PN.	USPAT	2003/07/15 11:11
28	130	(wood wooden cellulosic fiber$1board chip$1board partcile$1board hard$1board flake$1board strand$1board wafer$1board) and (top$1coat$3 same ((ultra$1violet "UV") with cure cured curing)) and (sealed sealing sealant)	USPAT; EPO; JPO; DERWENT	2003/07/15 11:14
29	125	(wood wooden cellulosic fiber$1board chip$1board partcile$1board hard$1board flake$1board strand$1board wafer$1board) and (top$1coat$3 same ((ultra$1violet "UV") with cure cured curing)) and (sealed sealing sealant)	USPAT	2003/07/15 11:46
30	126	(wooden cellulosic fiber$1board chip$1board partcile$1board hard$1board flake$1board strand$1board wafer$1board) and (top$1coat$3 same ((ultra$1violet "UV") with cure cured curing)) and (primed primer priming sealed sealing sealant)	USPAT	2003/07/15 11:50
31	52	(wooden fiber$1board chip$1board partcile$1board hard$1board flake$1board strand$1board wafer$1board) and (top$1coat$3 same ((ultra$1violet "UV") with cure cured curing)) and (primed primer priming sealed sealing sealant)	USPAT	2003/07/15 12:12
32	690	(wooden fiber$1board chip$1board partcile$1board hard$1board flake$1board strand$1board wafer$1board) and ((coating near3 line) (production near3 line))	USPAT	2003/07/15 12:16
33	14	((wooden fiber$1board chip$1board partcile$1board hard$1board flake$1board strand$1board wafer$1board) and ((coating near3 line) (production near3 line))) and primer and top$1coat$3	USPAT	2003/07/15 12:13
34	140	(wooden fiber$1board chip$1board partcile$1board hard$1board flake$1board strand$1board wafer$1board) and (coating near3 line)	USPAT	2003/07/15 12:16

35	13	((wooden fiber$1board chip$1board partcile$1board hard$1board flake$1board strand$1board wafer$1board) and (coating near3 line)) and primer and top$1coat$3	USPAT	2003/07/15 12:16
36	0	(((wooden fiber$1board chip$1board partcile$1board hard$1board flake$1board strand$1board wafer$1board) and (coating near3 line)) and primer and top$1coat$3) not (((wooden fiber$1board chip$1board partcile$1board hard$1board flake$1board strand$1board wafer$1board) and ((coating near3 line) (production near3 line))) and primer and top$1coat$3)	USPAT	2003/07/15 12:16
37	127	((wooden fiber$1board .chip$1board partcile$1board hard$1board flake$1board strand$1board wafer$1board) and (coating near3 line)) not (((wooden fiber$1board chip$1board partcile$1board hard$1board flake$1board strand$1board wafer$1board) and ((coating near3 line) (production near3 line))) and primer and top$1coat$3)	USPAT	2003/07/15 12:17
–	4045	((427/258) or (427/369) or (427/370) or (427/371) or (427/407.1) or (427/408) or (427/412.2)).CCLS.	USPAT; EPO; JPO; DERWENT	2003/07/14 16:01
–	66	(((427/258) or (427/369) or (427/370) or (427/371) or (427/407.1) or (427/408) or (427/412.2)).CCLS.) and (press$3 near3 bond$3)	USPAT; EPO; JPO; DERWENT	2003/07/14 16:01
–	26	((((427/258) or (427/369) or (427/370) or (427/371) or (427/407.1) or (427/408) or (427/412.2)).CCLS.) and (press$3 near3 bond$3)) and (wood wooden cellulosic fiber$1board chip$1board partcile$1board)	USPAT; EPO; JPO; DERWENT	2003/07/14 16:25
–	9	(((((427/258) or (427/369) or (427/370) or (427/371) or (427/407.1) or (427/408) or (427/412.2)).CCLS.) and (press$3 near3 bond$3)) and (wood wooden cellulosic fiber$1board chip$1board partcile$1board)) and (coat$3 near3 cur$4)	USPAT; EPO; JPO; DERWENT	2003/07/14 16:22
–	2	((((((427/258) or (427/369) or (427/370) or (427/371) or (427/407.1) or (427/408) or (427/412.2)).CCLS.) and (press$3 near3 bond$3)) and (wood wooden cellulosic fiber$1board chip$1board partcile$1board)) and (coat$3 near3 cur$4)) and (("UV" ultra$1violet) near3 cur$4)	USPAT; EPO; JPO; DERWENT	2003/07/14 16:03
–	0	(((((((427/258) or (427/369) or (427/370) or (427/371) or (427/407.1) or (427/408) or (427/412.2)).CCLS.) and (press$3 near3 bond$3)) and (wood wooden cellulosic fiber$1board chip$1board partcile$1board)) and (coat$3 near3 cur$4)) and (("UV" ultra$1violet) near3 cur$4)) and (primer primed priming)	USPAT; EPO; JPO; DERWENT	2003/07/14 16:03
–	2	(((((((427/258) or (427/369) or (427/370) or (427/371) or (427/407.1) or (427/408) or (427/412.2)).CCLS.) and (press$3 near3 bond$3)) and (wood wooden cellulosic fiber$1board chip$1board partcile$1board)) and (coat$3 near3 cur$4)) and (("UV" ultra$1violet) near3 cur$4)) and (prime primer primed priming)	USPAT; EPO; JPO; DERWENT	2003/07/14 16:06
–	812	"press coating"	USPAT; EPO; JPO; DERWENT	2003/07/14 16:07
–	13	(((427/258) or (427/369) or (427/370) or (427/371) or (427/407.1) or (427/408) or (427/412.2)).CCLS.) and "press coating"	USPAT; EPO; JPO; DERWENT	2003/07/14 16:07

-	7	`(((((((427/258) or (427/369) or (427/370) or (427/371) or (427/407.1) or (427/408) or (427/412.2)).CCLS.) and (press$3 near3 bond$3)) and (wood wooden cellulosic fiber$1board chip$1board partcile$1board)) and (coat$3 near3 cur$4)) not ((((((427/258) or (427/369) or (427/370) or (427/371) or (427/407.1) or (427/408) or (427/412.2)).CCLS.) and (press$3 near3 bond$3)) and (wood wooden cellulosic fiber$1board chip$1board partcile$1board)) and (coat$3 near3 cur$4)) and (("UV" ultra$1violet) near3 cur$4))`	USPAT; EPO; JPO; DERWENT	2003/07/14 16:22
-	1122	`(((wood wooden cellulosic fiber$1board chip$1board partcile$1board hard$1board flake$1board strand$1board wafer$1board) with coat$3) same ((press$3 near3 coat$3) (heat$3 near3 press$3)))`	USPAT; EPO; JPO; DERWENT	2003/07/14 16:28
-	9	`(((wood wooden cellulosic fiber$1board chip$1board partcile$1board hard$1board flake$1board strand$1board wafer$1board) with coat$3) same ((press$3 near3 coat$3) (heat$3 near3 press$3))) and (top$1coat$3 same ("UV" ultra$1violet))`	USPAT; EPO; JPO; DERWENT	2003/07/14 16:37
-	51	`((wood wooden cellulosic fiber$1board chip$1board partcile$1board hard$1board flake$1board strand$1board wafer$1board) with coat$3) same ((press$3 near3 coat$3) (heat$3 near3 press$3)) same (seal$4)`	USPAT; EPO; JPO; DERWENT	2003/07/14 16:38
-	50	`(((wood wooden cellulosic fiber$1board chip$1board partcile$1board hard$1board flake$1board strand$1board wafer$1board) with coat$3) same ((press$3 near3 coat$3) (heat$3 near3 press$3)) same (seal$4)) not ((((wood wooden cellulosic fiber$1board chip$1board partcile$1board hard$1board flake$1board strand$1board wafer$1board) with coat$3) same ((press$3 near3 coat$3) (heat$3 near3 press$3))) and (top$1coat$3 same ("UV" ultra$1violet)))`	USPAT; EPO; JPO; DERWENT	2003/07/15 09:41